

FORM PTO-1390 (REV 11-2000)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 36-1505
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>		U.S. APPLICATION NO. <b>09/914,289</b>	
INTERNATIONAL APPLICATION NO. <b>PCT/GB00/00980</b>	INTERNATIONAL FILING DATE <b>16 March 2000</b>	PRIORITY DATE CLAIMED <b>25 March 1999</b> <b>20 December 1999</b>	
TITLE OF INVENTION <b>COMPUTER SYSTEM</b>			
APPLICANT(S) FOR DO/EO/US <b>HARLAND et al</b>			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<p>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input checked="" type="checkbox"/> The U.S. has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. A copy of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <ol style="list-style-type: none"> <li><input checked="" type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</li> <li><input checked="" type="checkbox"/> has been communicated by the International Bureau.</li> <li><input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> <p>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <ol style="list-style-type: none"> <li><input type="checkbox"/> is attached hereto.</li> <li><input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</li> </ol> <p>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))</p> <ol style="list-style-type: none"> <li><input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</li> <li><input type="checkbox"/> have been communicated by the International Bureau.</li> <li><input type="checkbox"/> have not been made; however, the time limit for making such amendments has <b>NOT</b> expired.</li> <li><input type="checkbox"/> have not been made and will not be made.</li> </ol> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> A English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p>			
<p><b>Items 11 To 20 below concern document(s) or information included:</b></p> <p>11. <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98.</p> <p>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included.</p> <p>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825.</p> <p>18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</p> <p>20. <input type="checkbox"/> Other items or information.</p>			

U.S. APPLICANT <b>09/914289</b>	INTERNATIONAL APPLICATION NO. <b>PCT/GB00/00980</b>	ATTORNEY'S DOCKET NUMBER <b>36-1505</b>		
21. <input checked="" type="checkbox"/> The following fees are submitted:		<b>CALCULATIONS</b> PTO USE ONLY		
<b>BASIC NATIONAL FEE (37 C.F.R. 1.492(a)(1)-(5):</b>				
<ul style="list-style-type: none"> <li>-- Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO .....\$1000.00</li> <li>-- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO.....\$860.00</li> <li>-- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO .....\$710.00</li> <li>-- International preliminary examination fee (37 C.F.R. 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4).....\$690.00</li> <li>-- International preliminary examination fee (37 C.F.R. 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4).....\$100.00</li> </ul>				
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b> <input type="text" value="860.00"/>				
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).				
<b>CLAIMS</b>	<b>NUMBER FILED</b>	<b>NUMBER EXTRA</b>	<b>RATE</b>	
Total Claims	9	-20 =	0	X \$18.00
Independent Claims	2	-3 =	0	X \$80.00
<b>MULTIPLE DEPENDENT CLAIMS(S) (if applicable)</b>			\$270.00	\$ 0.00
			<b>TOTAL OF ABOVE CALCULATIONS =</b>	<b>\$ 860.00</b>
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				0.00
			<b>SUBTOTAL =</b>	<b>\$ 860.00</b>
Processing fee of \$130.00, for furnishing the English Translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).			+ 0.00	
			<b>TOTAL NATIONAL FEE =</b>	<b>\$ 860.00</b>
Fee for recording the enclosed assignment (37 C.F.R. 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28, 3.31). <b>\$40.00</b> per property			+ \$ 40.00	
Fee for Petition to Revive Unintentionally Abandoned Application (\$1240.00 – Small Entity = \$620.00)			\$ 0.00	
			<b>TOTAL FEES ENCLOSED =</b>	<b>\$ 900.00</b>
			<b>Amount to be:</b>	
			<b>refunded</b>	\$
			<b>Charged</b>	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$900.00 to cover the above fees is enclosed.				
b. <input type="checkbox"/> Please charge my Deposit Account No. 14-1140 in the amount of \$_____ to cover the above fees.				
A duplicate copy of this form is enclosed.				
c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-1140. A <u>duplicate</u> copy of this form is enclosed.				
d. <input checked="" type="checkbox"/> The entire content of the foreign application(s), referred to in this application is/are hereby incorporated by reference in this application.				
NOTE: Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.				
<b>SEND ALL CORRESPONDENCE TO:</b> <b>NIXON &amp; VANDERHYE P.C.</b> <b>1100 North Glebe Road, 8<sup>th</sup> Floor</b> <b>Arlington, Virginia 22201-4714</b> <b>Telephone: (703) 816-4000</b>				
 <b>LARRY S. NIXON</b> <b>SIGNATURE</b>				
<b>Larry S. Nixon</b> <b>NAME</b>				
<b>25,640</b> <b>August 27, 2001</b> <b>REGISTRATION NUMBER</b> <b>Date</b>				

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

**HARLAND et al**

Atty. Ref.: 36-1505

Serial No. **Unknown**

Group:

National Phase of: **PCT/GB00/00980**

International Filing Date: **16 March 2000**

Filed: **August 27, 2001**

Examiner:

For: **COMPUTER SYSTEM**

\* \* \* \* \*

**August 27, 2001**

Assistant Commissioner for Patents

Washington, DC 20231

Sir:

**PRELIMINARY AMENDMENT**

Prior to calculation of the filing fee and in order to place the above identified application in better condition for examination, please amend the claims as follows:

**IN THE CLAIMS**

Please substitute the following amended claims for corresponding claims previously presented. A copy of the amended claims showing current revisions is attached.

3. (Amended) A computer system as claimed in claim 1, in which each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of its associated data set.

4. (Amended) A computer system as claimed in claim 1, in which:

the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and

said data sets are stored in said server computer.

7. (Amended) A computer system as claimed in claim 4, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.

HARLAND et al  
Serial No. Unknown

**REMARKS**

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "**Version with markings to show changes made.**"

The above amendments are made to place the claims in a more traditional format.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By:

Larry S. Nixon

Larry S. Nixon

Reg. No. 25,640

**LSN:Imy**

1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

3. (Amended) A computer system as claimed in [any one of the preceding claims] claim 1, in which each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of its associated data set.

4. (Amended) A computer system as claimed in [any one of the preceding claims] claim 1, in which:

the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and

said data sets are stored in said server computer.

7. (Amended) A computer system as claimed in [any one of claims 4 to 6] claim 4, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.

09/914289  
518 Rec'd PCT/PTO 27 AUG 2001

11/pats

1

COMPUTER SYSTEM

This invention relates to a computer system.

As is well known, a computer system may include an application program installed and loaded on to the computer system and which is capable of accessing one or more data sets stored on the computing system. As is well known, an application program may be updated from time to time to produce a new version with additional functionality. Thus, it is quite usual to produce a series of versions of a particular application program. The structure of a data set may also be updated from time to time, for example by adding one or more additional fields. With presently known computing systems, when the structure of a data set is updated, it is necessary to produce an updated version of the associated application program in order to enable it to access the data set. Some users of the application program may not wish to suffer the inconvenience of obtaining an updated version. Also, after a new version of an application program has been produced, the users of it will have to be trained how to use it and so there will be a period during which some users will want to continue using the previous version of the application program.

According to one aspect of this invention there is provided a computer system including a version of an application program stored in said computer system, at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in response to said query, and transmit a reply to said version of said application program, and one of said data access components being arranged to access its associated data set both to respond to a query designed for the present version of the structure of its associated set and also to respond to a query designed for an earlier version of the structure of its associated data set.

In this specification, the term "data set" is intended to refer to a set of functionally related data records which are accessed together as a unit.

With this invention, when the structure of a data set is updated, it is only necessary initially to produce an updated version of the associated data access component and not the associated application program. After the updated version of

the data access component has been installed on the computer system, the present version of the application program will be able to access the data set in the new structural version. Also, when an updated version of the application program is produced and installed on a computer, this will also be able to access the data set in  
5 the new structural version.

The or each data set may comprise a set of records, each of which has a set of fields, and the difference between the present and earlier versions of the structure of the data set associated with said one data access component is that the records of the present version of the structure of the data set include at least one additional  
10 field.

Preferably, each data access component comprises at least one software object, and said one data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set, and the other of which is designed to respond  
15 to a query designed for the earlier version of the structure of its associated data set.

The computer system may include a client computer, a server computer and a communications network arranged to connect the client computer and server computer, said version of said application program and said at least one data access component being stored on said client computer, and said data sets being stored on  
20 said server computer.

There may be a plurality of versions of said application program stored on said server computer, said client computer being arranged to download one or more versions of said versions application program from said server computer for use on said client computer.

25 Said at least one data access component may be stored on said server computer, and said client computer may be arranged to download said at least one data access component from said server computer for use on said client computer.

When operating the computer system, preferably a version of the application program and said at least one data access component are downloaded in separate  
30 operations.

According to another aspect of this invention there is provided a method of operating a computer system, said computer system including a version of an application program stored in said computer system, at least one data access

component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in response to said query, and  
5 transmit a reply to said version of said application program, said method comprising the steps of changing the structure of one of said data sets, and modifying the data access component associated with said one data set, the modification to said data access component permitting it to handle queries from the present version of the application program directed to said one data set but designed for the data set before  
10 the change in its structure.

This invention will now be described in more detail, by way of example, with reference to the drawings in which:

Figure 1 is a block diagram of a directory assistance system for a telecommunications network embodying this invention;

15 Figure 2 shows the structure of the records of a data set used by the system of Figure 1;

Figure 3 shows an updated version of the structure for the records shown in Figure 2;

20 Figure 4 shows the software components of a workstation forming part of the directory assistance system of Figure 1;

Figure 5 is a flow chart illustrating the operation of the workstation;

each of Figures 6 to 10 is a functional block diagram showing an application program and associated data access components which may be installed in the workstation together with their interaction with data sets which may be stored in a  
25 server computer forming part of the directory assistance system of Figure 1; and

Figure 11 is a block diagram illustrating the construction of a data access component.

Referring now to Figure 1, there is shown a directory assistance system 10 for a public switched telecommunications network (PSTN) 12. The directory assistance system 10 includes a switch 14 connected to the PSTN 12 and which distributes incoming calls to a set of workstations used by directory assistance operators. One of these workstations is shown and indicated by reference numeral 16. The workstations, including workstation 16, are connected to a local area

network (LAN) 18. LAN 18 is connected to a local server computer 20, the purpose of which will be described in more detail below. LAN 18 is also connected to a router 21 which in turn is connected to a wide area network (WAN) 22. WAN 22 is connected to a remote server computer 24. The remote server computer 24 stores a 5 large set of records, each of which contains details of one of the customers of the PSTN 12. In each record, the details include the name, address and telephone number of the customer.

The workstation 16 and other workstations connected to the switch 14, the LAN 18, the local server computer 20 and the router 21 are co-located in the same 10 physical site. The remote server computer 24 also serves workstations located at other sites.

Each of the workstations, including workstation 16, has an application program which can perform a search on the records stored in the remote server computer 24 to retrieve the telephone number of a customer of PSTN 12 in response 15 to an enquiry from a caller. When performing a search, the user or operator enters the name of the customer on the workstation 16 and usually other details such as the initials of the customer, the town where the customer is located or part or all of the address of the customer. As will be described below, the user can also be assisted by accessing records stored in the local server 20.

From time to time, the format or structure of the records stored in the remote server 24 may be updated to produce a new version. When a new version is produced, the application program used by the workstations must also be updated so as to enable it to access the new version. For a transitional period, the old and new versions of the records may both be stored on the remote server 24 or one version 25 may be stored on the remote server 24 and another version stored on another server computer connected to WAN 22. This enables the records to be accessed using both the old and new versions of the application program.

As may be readily appreciated, the directory assistance system 10 is also a computing system. The computers include the workstations, the local server 30 computer 20 and the remote server computer 24. The hardware construction of each of these computers is conventional and includes a central processing unit, a store formed from a combination of read-only-memory, random-access-memory, hard disk storage and floppy disk storage, a keyboard, visual display unit and input and output

ports. In each of the computers, an operating system and one or more application programs are held in the store and provide the desired functionality.

The various versions of the application program used by the workstation 16 are stored in the local server 20. As will be described in more detail below, each 5 workstation is arranged to download the various versions of the application program from the local server 20. For each user of the workstations, the local server 20 contains a record setting out the details of the user and the version or versions of the application program which that user is permitted to use. Several sets of data records are also stored on the local server 20. Each of these sets of records is designed to 10 assist the users of the workstations in answering enquiry calls.

One of these sets of data is a set of locality records. When making an enquiry for the telephone number of a customer of the PSTN 12, a caller will sometimes give incorrect information with regard to the locality of the customer. For example, rather than giving the correct town in which the customer is located, the 15 caller may give the name of a nearby town. The purpose of the locality records is to enable a user of a workstation to extend the search to neighbouring areas. The fields of a typical locality record are shown in Figure 2. As may be seen, these records include a field 40 for a town, a field 41 for the nearest town to the town entered in field 40, a field 42 for the next nearest town and a field 43 for the county in which 20 the town is located. Thus, when using this set of records, the user accesses the record for the town given by the caller. The user may then use the data in the record to extend the search to the nearest town, the next nearest town or to the county in which that town is located.

In the system of Figure 1, it may be desired to change the structural format 25 of one of the sets of data records. For example, the structure of one of the sets of data records could be changed by adding an additional field. Referring to Figure 3, there is shown a modified structure for the set of locality records. In the structure shown in Figure 3, each locality record has a field 50 for a town, a field 51 for the nearest town, a field 52 for the next nearest town, a field 53 for the county in which 30 the town is located and a field 54 for the nearest county. Thus, in comparison with the structure shown in Figure 2, the structure shown in Figure 3 includes an additional field, namely the field 54, for the nearest county.

When the structure of a set of data records is modified, for example as illustrated with reference to Figures 2 and 3, then the application program which is used to access those data records must be updated to take advantage of the modification. Also, in the absence of the present invention, the application program 5 would have to be updated even to access data records arranged in the new structure.

In this invention, and as will be described in more detail below, each set of data records stored in the local server computer 20 has an associated data access component. A copy of this data access component is loaded into each workstation which accesses those data records. In use, an application program installed on a 10 workstation does not access a set of data records stored in the local server computer 20 directly. Instead, it accesses the data records via the associated data access component.

With the invention, when the structure of a set of data records is changed, then the associated data access component is modified. The data access component 15 is modified so that both the existing version of the application program and the modified version of the application program will be able to access the data records with the modified structure via the modified data access component. When the existing version of the application program accesses the data records, it will not be able to take advantage of any extra features, for example an extra field, in the 20 modified structure of the data records. In contrast, the modified version of the application program will be able to take advantage of any additional features.

Thus, with the invention, when the structure of a set of data records is modified, it is necessary initially only to modify the data access component and not the whole application program itself. The invention also provides the advantage that 25 the data records for the new structure can be used with both the existing and modified versions of the application program. This allows the users of the application program to continue using the data records while they are being trained in the use of the modified version of the application program.

Referring now to Figure 4, there are shown the main software components 30 installed into each of the workstations, such as the workstation 16, of the directory assistance system 10. As shown in Figure 4, these components include an operating system 60, a control program 61, application programs 62 and a set of data access components 63. Normally, a complete set of the current versions of the main

application program are loaded into each of the workstations. The main function of the control program 61 is to download the current versions from the local server computer 20 and to delete any version which is no longer in use. As explained above, each data access component is associated with a set of data records stored  
5 on the local server 20.

Referring now to Figure 5, there is shown a flow chart illustrating the operation of one of the workstations.

Initially, in a step 70, the control program obtains a list of available versions of the main application program from the server computer. The main application  
10 program is the program which is used for answering enquiries from calling parties. All further references in this description to the application program are to be understood as references to this main application program.

Next, in a step 72, the control program obtains a list of the versions of the application program installed on the workstation. Then, in a step 73, any version of  
15 the application program which is no longer available is removed by deleting from the store of the workstation.

Next, in a step 74, the control program downloads from the server computer any available versions of the application program which are not currently installed on the workstation. Then, in a step 75, the current versions of the data access  
20 components are downloaded from the server computer and stored in the workstation. These current versions replace any previous versions stored in the workstation.

In a step 76, the control program starts-up the last used version of the application program. The last used version of application program is the version of the application which has been most recently used on the workstation.

25 The application program itself, in a step 77, then obtains the data record for the present user of the workstation from the server computer. The user record specifies the version or versions which the user is permitted to use. In a step 78, the user then selects the required version of the application program. If the user is permitted to use more than one version of the application program, the user makes a  
30 selection based on the user's present requirements. For example, the user may use one version for answering enquiries and another version for training.

In a step 79, the application program checks whether the required version is running. If the required version is running, a jump is made to step 80. If the required

version is not running, in steps 81 and 82, the control program shuts down the version of the application program which is currently running and then starts up the required version. This is followed by step 80. In step 80, the user uses the application program either for training or for answering enquiries from calling parties.

5 Referring now to Figure 6, there is shown the arrangement of version 1.0 of the application program, two data access components dmc1 and dmc2 and two data sets A and B. The data access components dmc1 and dmc2 provide access to the data sets A and B, respectively, as indicated by arrows 90 and 91. The interfaces between the application program and data management components dmc1 and dmc2  
10 are provided, respectively, by interfaces iDmc1 and iDmc2. These interfaces are provided by portions of code in the application program and the data management components.

Each of the data management components dmc1 and dmc2 is constructed so as to provide server functionality and each of these data management components is  
15 arranged to respond to queries from the application program. Thus, for example, when the data access component dmc1 receives a query from the application program across the interface iDmc1, the data access component dmc1 accesses the data set A to obtain the required information. After obtaining the required information, the data access component dmc1 sends a response across the interface  
20 iDmc1 to the application program. The data sets A and B are, as explained above, stored in the local server computer 20.

Referring now to Figure 7, there is shown a modification to the arrangement of Figure 6. In this modification, the data set A has been replaced by a modified data set A\_v2 and the data access component dmc1 has been replaced by a modified data  
25 access component dmc1\_v2. In comparison with the data set A, the structure of the data set A\_v2 has been modified, for example by adding an extra field to each record. The modified data access component dmc1\_v2 is arranged to access the modified data set A\_v2. However, the data access component dmc1\_v2 presents the same interface iDmc1 to the application program as that presented by the original data  
30 access component dmc1. Thus, the modified data access component dmc1\_v2 can respond to queries received across the interface iDmc1. However, as the application program is still version 1.0 of the application program, it cannot take advantage of the extra functionality provided by the modification to the structure of the data set.

It should be noted that no change has been necessary to the application program itself and that only the data access component has been modified.

Referring now to Figures 8 and 9, there are shown two modifications to the arrangement of Figure 6. In each of these arrangements, the data set B has been replaced by a modified data set B\_v2 and the data management component dmc2 has been replaced by a modified data management component dmc2\_v2. In comparison with the data set B shown in Figure 6, the structure of the data set B\_v2 has been modified, for example by adding an additional field. The arrangement of Figure 8 uses version 1.0 of the application program whereas the arrangement shown in Figure 9 uses version 2.0 of the application program. In comparison with version 1.0 of the application program, version 2.0 is designed to produce queries designed for the modified data set B\_v2 and thus to take advantage of the additional functionality which is present in modified data set B\_v2.

The modified data access component dmc2\_v2 is designed to present the interface iDmc2 to version 1.0 of the application program and to present a modified interface iDmc2\_2 to version 2.0 of the application program. For this reason, the interface iDmc2 is indicated by arrows joined by a solid line in Figure 8 but by arrows joined by a dotted line in Figure 9. Likewise, the modified interface iDmc2\_2 is indicated by arrows joined by a dotted line in Figure 8 and a solid line in Figure 9.

When the modified data access component dmc2\_v2 is used with version 1.0 of the application program, it receives and responds to queries over the interface iDmc2. When it is used with version 2.0 of the application program, it receives and responds to queries over the modified interface iDmc2\_2.

As will be described with reference to Figure 10, it is possible to arrange data access components so that a single interface to an application program can be used for making queries to two or more data sets.

Referring now to Figure 10, there is shown an application program, two upper level data management components dmc3 and dmc4, two lower level data access components dmc3x and dmc3y and three data sets X, Y and Z. The data sets X, Y and Z are stored in the local server computer 20.

The data access components dmc3 and dmc4 present, respectively, interfaces iDmc3 and iDmc4 to the application program. The data access component

dmc4 is arranged to respond to queries from the application program received on the interface iDmc4 and directed to the data set Z.

The data access component dmc3 has an interface to each of the lower level data access components dmc3x and dmc3y. The lower level data access component  
5 dmc3x is arranged to access data set X and the lower level data access component dmc3y is arranged to access the data set Y. Collectively, the data access components dmc3, dmc3x and dmc3y are arranged to respond to queries received on the interface iDmc3 and directed to either data set X or data set Y.

In a similar manner to that described with reference to Figures 6 to 9, if the  
10 structure of one of the data sets X, Y and Z is modified, then the associated data access component is modified accordingly. Thus, for example, if the structure of data set X is modified, then data access component dmc3x is modified.

Each data access component is formed from a number of software objects. Specifically, each data access component includes an individual software object for  
15 each interface provided by that data access component and a software object for accessing the associate data set.

Referring now to Figure 11, there are shown the software objects which form the data access component dmc2\_v2. These software objects include two software objects CDmc2 and CDmc2\_2 which, respectively, provide the interfaces iDmc2 and  
20 iDmc2\_2. The data access component dmc2\_v2 also includes a software object CDsetB\_v2 for accessing the data set B\_v2. The software object CDsetB\_v2 can receive messages from, and transmit messages to, each of the software object CDmc2 and CDmc2\_2.

Each application program includes a set of software objects which generate  
25 messages to, and receive messages from, the interface objects in the associated data access components. In relation to a data access component, each of the software objects functions as a client object. By way of example, Figure 10 shows a client software object ClientObj1 which can send messages to, and receive messages from, the interface object CDmc2 across the interface iDmc2.

30 In each data access component, the individual software objects collectively provide the methods which are needed for performing searches on the associated data set and for retrieving items of data for use by an application program. The data set associated with the data access component is private to the software objects of

that data access component in the sense that it can only be accessed by these software objects. The data set is thus encapsulated by the software objects of the associated data access component. The concept of encapsulation is well known in object oriented design.

- 5 In each data access component, the individual software objects may be formed from a group of subsidiary objects.

Although this invention has been described with reference to a directory enquiry system, it is to be appreciated that it is suitable for general use in computing systems.

- 10 The invention is equally applicable to systems in which the communications link between the client and server computers includes a radio link. For example, the invention finds application with Mobile -IP (Internet Protocol) terminals (which may be mobile phones, PDAs, laptop computers or the like), WAP terminals ( which again may be mobile phones or more sophisticated devices) and similar devices. Such 15 terminals would typically provide a client computer of a client server system.

The invention (in particular, the data access component) will typically be embodied in software and, as such, the invention extends to a data carrier or data carriers (magnetic tapes or discs, memory sticks, optical discs or other data carriers) carrying such software. The software may be transferred over a data link.

- 20        Although this invention has been described with reference to a computing  
systems formed from several computers, it is to appreciated that it is also suitable for  
use on a computing system formed from a single computer. Where the invention is  
used with a computing system formed from a single computer, then the application  
program or programs, data access component or components and the associated data  
25 set or sets are all stored on the single computer.

CLAIMS

1. A computer system including:  
a version of an application program stored in said computer system;  
5 at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system;  
the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in  
10 response to said query, and transmit a reply to said version of said application program; and  
one of said data access components being arranged to access its associated data set both to respond to a query designed for the present version of the structure of its associated data set and also to respond to a query designed for an earlier  
15 version of the structure of its associated data set.
2. A computer system as claimed in claim 1, in which the or each data set comprises a set of records each of which has a set of fields, and the difference between the present and earlier versions of the structure of the data set associated  
20 with said one data access component is that the records of the present version include at least one additional field.
3. A computer system as claimed in any one of the preceding claims, in which each data access component comprises at least one software object, and said one  
25 data access component comprises at least two software objects, one of which is arranged to respond to a query designed for the present version of the structure of its associated data set and the other of which is arranged to respond to a query designed for the earlier version of the structure of its associated data set.
- 30 4. A computer system as claimed in any one of the preceding claims, in which: the computer system includes a client computer, a server computer and a communications network arranged to connect the client computer to the server computer; and

said version of said application program and said at least one data access component are stored on said client computer; and  
said data sets are stored in said server computer.

- 5 5. A computer system as claimed in claim 4, in which a plurality of versions of said application program are stored on said server computer, and said client computer is arranged to download one or more of said versions of said application program from said server computer for use on said client computer.
- 10 6. A computer system as claimed in claim 5, in which said at least one data access component is stored on said server computer, and said client computer is arranged to download said at least one data access component from said server computer for use on said client computer.
- 15 7. A computer system as claimed in any one of claims 4 to 6, wherein the client computer is a mobile phone, WAP terminal or mobile-IP terminal and the communications network includes a radio transmission system over which data connections can be made between the client computer and the server computer.
- 20 8. A method of operating the computer system of claim 6, in which at least one version of the application program and said at least one data access component are downloaded from the server computer in separate operations.
9. A method of operating a computer system, said computer system including a 25 version of an application program stored in said computer system, at least one data access component stored in said computer system, the or each data access component being associated with a set of data stored in said computer system, the or each data access component being arranged to receive a data query from said version of said application program, access its associated data set in response to said query, and transmit a reply to said version of said application program, said method comprising the steps of:  
changing the structure of one of said data sets; and  
modifying the data access component associated with said one data set;

the modification to said data access component permitting it to handle queries from the present version of the application program directed to said one data set but designed for the data set before the change in its structure.

100-200-300-400-500-600-700-800-900

ABSTRACTCOMPUTING SYSTEM

5        A computing system includes an application program and two data access components dmc1 and dmc2 loaded on to a client computer. The data access components dmc1 and dmc2 provide access to data sets A and B stored on a server computer. Each data access component is arranged to handle a data query from the application program directed to its associated data set. If the structure of one of the  
10 data sets is changed, for example to add a new field, then the associated data access component is also modified. The modification to the data access component permits it to handle queries from the present version of the application program directed to the data set but designed for the data set before the change in its structure. The modification to the data access component also enables it to handle queries directed  
15 to the data set with the changed structure from an updated application program which is designed to take advantage of the new structure of the data set.

Figure (6)

09/914289

1/11




Fig. 1

09/914289

2/11

TOWN	NEAREST TOWN	NEXT NEAREST TOWN	COUNTY
40	41	42	43

Fig. 2

TOWN	NEAREST TOWN	NEXT NEAREST TOWN	COUNTY	NEAREST COUNTY
50	51	52	53	54

Fig. 3

09/914289

3/11




Fig. 4

4/11




Fig. 5A

5/11

A




Fig. 5B

09/91

6/11




Fig. 6

09/914289

7/11




Fig. 7

09/914289

8 (1)




Fig. 8

09/914289

9/11




Fig. 9

09/914289

10/11




Fig. 10

09/914289




Fig 11

Nixon & Vanderhye P.C. (10/99)  
 (Domestic Non-Assigned/Foreign)

**RULE 63 (37 C.F.R. 1.63)**  
**DECLARATION AND POWER OF ATTORNEY**  
**FOR PATENT APPLICATION**  
**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**COMPUTER SYSTEM**

the specification of which (check applicable box(s)):

- is attached hereto  
 was filed on \_\_\_\_\_

as U.S. Application Serial No. \_\_\_\_\_

(Atty Dkt. No. \_\_\_\_\_)

- was filed as PCT International application No. \_\_\_\_\_  
 and (if applicable to U.S. or PCT application) was amended on \_\_\_\_\_

PCT/GB 00/00980 on 16 March 2000

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 C.F.R. 1.56. I hereby claim foreign priority benefits under 35 U.S.C. 119/365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed or, if no priority is claimed, before the filing date of this application:

Priority Foreign Application(s):

Application Number	Country	Day/Month/Year Filed
9907090.6	GREAT BRITAIN	26 March 1999
99305539.1	EUROPE	20 December 1999

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

Application Number	Date/Month/Year Filed
--------------------	-----------------------

I hereby claim the benefit under 35 U.S.C. 120/365 of all prior United States and PCT international applications listed above or below and, insofar as the subject matter of each of the claims of this application is not disclosed in such prior applications in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior applications and the national or PCT international filing date of this application:

Prior U.S./PCT Application(s):

Application Serial No.	Day/Month/Year Filed	Status: patented pending, abandoned
PCT/GB00/00980	16 March 2000	PENDING

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. And on behalf of the owner(s) hereof, I hereby appoint NIXON & VANDERHYE P.C., 1100-North Glebe Rd., 8th Floor, Arlington, VA 22201-4714, telephone number (703) 816-4000 (to whom all communications are to be directed), and the following attorneys thereof (of the same address) individually and collectively owner's/owners' attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent: Arthur R. Crawford, 25327; Larry S. Nixon, 25640; Robert A. Vanderhye, 27076; James T. Hosmer, 30184; Robert W. Faris, 31352; Richard G. Besha, 22770; Mark E. Nusbaum, 32348; Michael J. Keenan, 32106; Bryan H. Davidson, 30251; Stanley C. Spooner, 27393; Leonard C. Mitchard, 29009; Duane M. Byers, 33363; Jeffry H. Nelson, 30481; John R. Lastova, 33149; H. Warren Burnam, Jr., 29366; Thomas E. Byrne, 32205; Mary J. Wilson, 32955; J. Scott Davidson, 33489; Alan M. Kagen, 36178; Robert A. Molan, 29834; B. J. Sadoff, 36663; James D. Berquist, 34776; Updeep S. Gill, 37334; Michael J. Shea, 34725; Donald L. Jackson, 41090; Michelle N. Lester, 32331; Frank P. Presta, 19828; Joseph S. Presta, 35329. I also authorize Nixon & Vanderhye to delete any attorney names/numbers no longer with the firm and to act and rely solely on instructions directly communicated from the person, assignee, attorney, firm, or other organization sending instructions to Nixon & Vanderhye on behalf of the owner(s).

1. Inventor's Signature: Hartland  
 100 Inventor: PHILLIP

Date: 25/3/2000  
 GB  
 (citizenship)

Residence: (city) HOVE (state/country) GREAT BRITAIN CBN  
 Post Office Address: FLAT 2, 54-56 BRUNSWICK PLACE, HOVE, EAST SUSSEX  
 (Zip Code) BH3 1NB

2. Inventor's Signature: Ronan  
 Inventor: RONAN

Date: \_\_\_\_\_  
 ZA  
 (citizenship)

Residence: (city) BRACKNELL (state/country) GREAT BRITAIN  
 Post Office Address: 21 UPAVON GARDENS, BRACKNELL, BERKSHIRE  
 (Zip Code) RE12 9YE

FOR ADDITIONAL INVENTORS, check box  and attach sheet with same information and signature and date for each.



RULE 63 (37 C.F.R. 1.63)  
**DECLARATION AND POWER OF ATTORNEY  
FOR PATENT APPLICATION**  
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Nixon & Vanderhye P.C. (12/95)

Page 2

3. Inventor's Signature:

*TJS/BS*

Inventor:	TOM (first)	MI	BRETT (last)	Date: 19/05/2000	
Residence: (city)	DORCHESTER-ON-THAMES		(state/country) GREAT BRITAIN	GB (citizenship)	
Post Office Address:	45 HIGH STREET, DORCHESTER-ON-THAMES, WALLINGFORD				
(Zip Code)	OX10 7HN				
4. Inventor's Signature:					Date:
Inventor:	MARK (first)	MI	FREED (last)	ZA (citizenship)	
Residence: (city)	GUERNSEY		(state/country) GREAT BRITAIN		
Post Office Address:	HIGHFIELD, RUE DE ROUEEVAL, TORTEVAL, GUERNSEY, CHANNEL ISLANDS				
(Zip Code)	GY8 0PE				
5. Inventor's Signature:					Date:
Inventor:	DARRIN (first)	MI	LUM (last)	AU (citizenship)	
Residence: (city)	RICHMOND		(state/country) GREAT BRITAIN		
Post Office Address:	FLAT 6, 52 MOUNT ARARAT ROAD, RICHMOND, SURREY				
(Zip Code)	TW10 6PJ				
6. Inventor's Signature:					Date:
Inventor:	TREVOR (first)	MI	LEWIS (last)	ZA (citizenship)	
Residence: (city)	HAMMERSMITH BROADWAY		(state/country) GREAT BRITAIN		
Post Office Address:	2 <sup>ND</sup> FLOOR, BROADWAY CHAMBERS, 20 HAMMERSMITH, LONDON				
(Zip Code)	W6 7BB				
7. Inventor's Signature:					Date:
Inventor:	(first)	MI	(last)	(citizenship)	
Residence: (city)					
Post Office Address:					
(Zip Code)					
8. Inventor's Signature:					Date:
Inventor:	(first)	MI	(last)	(citizenship)	
Residence: (city)					
Post Office Address:					
(Zip Code)					

**RULE 63 (37 C.F.R. 1.63)**  
**DECLARATION AND POWER OF ATTORNEY**  
**FOR PATENT APPLICATION**  
**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Nixon & Vanderhye P.C. (12/95)

Page 2

3.	Inventor's Signature:				Date:	
	Inventor:	TOM (first)	MI	BRETT (last)	GB (citizenship)	
	Residence: (city)	DORCHESTER-ON-THAMES			(state/country)	GREAT BRITAIN
	Post Office Address:	45 HIGH STREET, DORCHESTER-ON-THAMES, WALLINGFORD				
	(Zip Code)	OX10 7HN				
4.	Inventor's Signature:	<i>M Freed</i>			Date:	29/3/2000
	Inventor:	MARK (first)	MI	FREED (last)	ZA (citizenship)	
	Residence: (city)	GUERNSEY <i>Windsor</i>			(state/country)	GREAT BRITAIN
	Post Office Address:	HIGHFIELD, RUE DE ROUEEVILLE, TORTEVAL, GUERNSEY, CHANNEL ISLANDS				<i>G.B.N.</i>
	(Zip Code)	GY8 0PE SL4 3ND				34 ELM ROAD, WINDSOR, BERKSHIRE
5.	Inventor's Signature:				Date:	
	Inventor:	DARRIN (first)	MI	LUM (last)	AU (citizenship)	
	Residence: (city)	RICHMOND			(state/country)	GREAT BRITAIN
	Post Office Address:	FLAT 6, 52 MOUNT ARARAT ROAD, RICHMOND, SURREY				
	(Zip Code)	TW10 6PJ				
	Inventor's Signature:				Date:	
	Inventor:	TREVOR (first)	MI	LEWIS (last)	ZA (citizenship)	
	Residence: (city)	HAMMERSMITH BROADWAY			(state/country)	GREAT BRITAIN
	Post Office Address:	2 <sup>ND</sup> FLOOR, BROADWAY CHAMBERS, 20 HAMMERSMITH, LONDON				
	(Zip Code)	W6 7BB				
	Inventor's Signature:				Date:	
	Inventor:	(first)	MI	(last)	(citizenship)	
	Residence: (city)				(state/country)	
	Post Office Address:					
	(Zip Code)					
	Inventor's Signature:				Date:	
	Inventor:	(first)	MI	(last)	(citizenship)	
	Residence: (city)				(state/country)	
	Post Office Address:					
	(Zip Code)					

**RULE 63 (37 C.F.R. 1.63)**  
**DECLARATION AND POWER OF ATTORNEY**  
**FOR PATENT APPLICATION**  
**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Nixon & Vanderhye P.C. (12/95)

Page 2

3.	Inventor's Signature:	TOM (first)	MI	BRETT (last)	Date: _____	GB (citizenship)
	Inventor:	DORCHESTER-ON-THAMES			(state/country) GREAT BRITAIN	
	Residence: (city)	45 HIGH STREET, DORCHESTER-ON-THAMES, WALLINGFORD				
	Post Office Address:	OX10 7HN				
4.	Inventor's Signature:	MARK (first)	MI	FREED (last)	Date: _____	ZA (citizenship)
	Inventor:	GUERNSEY			(state/country) GREAT BRITAIN	
	Residence: (city)	HIGHFIELD, RUE DE ROUEEVAL, TORTEVAL, GUERNSEY, CHANNEL ISLANDS				
	Post Office Address:	GY8 0PE				
5.	Inventor's Signature:	DARREN (first)	MI	LUM (last)	Date: 26/4/2000	AU (citizenship)
	Inventor:	RICHMOND			(state/country) GREAT BRITAIN	G.B.R.
	Residence: (city)	FLAT 6, 52 MOUNT ARARAT ROAD, RICHMOND, SURREY				
	Post Office Address:	TW10 6PJ				
6.	Inventor's Signature:	TREVOR (first)	MI	LEWIS (last)	Date: _____	ZA (citizenship)
	Inventor:	HAMMERSMITH BROADWAY			(state/country) GREAT BRITAIN	
	Residence: (city)	2 <sup>ND</sup> FLOOR, BROADWAY CHAMBERS, 20 HAMMERSMITH, LONDON				
	Post Office Address:	W6 7BB				
	Inventor's Signature:				Date: _____	
	Inventor:					
	Residence: (city)				(state/country) _____	(citizenship)
	Post Office Address:					
	(Zip Code)					
	Inventor's Signature:				Date: _____	
	Inventor:					
	Residence: (city)				(state/country) _____	(citizenship)
	Post Office Address:					
	(Zip Code)					

**RULE 63 (37 C.F.R. 1.63)**  
**DECLARATION AND POWER OF ATTORNEY**  
**FOR PATENT APPLICATION**  
**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Nixon & Vanderhye P.C. (12/95)

Page 2

3.	Inventor's Signature:				Date: _____
	Inventor:	TOM (first)	MI	BRETT (last)	GB (citizenship)
	Residence: (city)	DORCHESTER-ON-THAMES			(state/country) GREAT BRITAIN
	Post Office Address:	45 HIGH STREET, DORCHESTER-ON-THAMES, WALLINGFORD			
	(Zip Code)	OX10 7HN			
4.	Inventor's Signature:				Date: _____
	Inventor:	MARK (first)	MI	FREED (last)	ZA (citizenship)
	Residence: (city)	GUERNSEY			(state/country) GREAT BRITAIN
	Post Office Address:	HIGHFIELD, RUE DE ROUEEVAL, TORTEVAL, GUERNSEY, CHANNEL ISLANDS			
	(Zip Code)	GY8 0PE			
5.	Inventor's Signature:				Date: _____
	Inventor:	DARRIN (first)	MI	LUM (last)	AU (citizenship)
	Residence: (city)	RICHMOND			(state/country) GREAT BRITAIN
	Post Office Address:	FLAT 6, 52 MOUNT ARARAT ROAD, RICHMOND, SURREY			
	(Zip Code)	TW10 6PQ			
6.	Inventor's Signature:				Date: <u>22/10/00</u>
	Inventor:	TREVOR (first)	MI	LEWIS (last)	ZA (citizenship)
	Residence: (city)	HAMMERSMITH BROADWAY			(state/country) GREAT BRITAIN
	Post Office Address:	2ND FLOOR, BROADWAY CHAMBERS, 20 HAMMERSMITH, LONDON			
	(Zip Code)	W6 7BB			
7.	Inventor's Signature:				Date: _____
	Inventor:	(first)	MI	(last)	(citizenship)
	Residence: (city)				(state/country) _____
	Post Office Address:				
	(Zip Code)				
8.	Inventor's Signature:				Date: _____
	Inventor:	(first)	MI	(last)	(citizenship)
	Residence: (city)				(state/country) _____
	Post Office Address:				
	(Zip Code)				